

Privilège SIGNATURE 510



Valid 2021.06.04

Specification

Superior design refined for a greater sense of comfort



Specification

Total sail area	141 m ²	1,517 sqft
Mainsail	88 m ²	947 sqft
Genoa	57 m ²	613 sqft
Staysail <i>option</i>	20 m ²	215 sqft
Gennaker <i>option</i>	120 m ²	1,292 sqft
Mast length	21.21 m	69'5"
LOA	17.09 m	56'
Hull length	15.24 m	50'
LWL	15.13 m	49'8"
Beam	7.98 m	26'0"
Draft	1.57 m	5'10"
Displacement light ship	16.8 t	37,000 lbs
Displacement full load	22.8 t	50,700 lbs
Fuel tank	800 l	211 gal
Fresh water	600 l	158 gal
Engine	2 × 41 kW	2 × 55 HP
Cabins	3 or 4	
CE Certificate	A -12	
Design	Cabinet Marc Lombard	
Interior	Darnet Design	

All measurements are approximate. Specifications and material can change without notice. Errors excepted. Valid 2021.06.04



Specification

General

- › Privilege Signature 510 with master suite layout and 2 guest cabins
- › Declaration of Conformity according to European Directive 2013/53/UE
- › 5 years structural guarantee on hull, deck and bulkheads
- › Owner's manual
- › Administration fees

Hull

General

- › Hulls and bridge deck infused with closed cells PVC foam core
- › Isophthalic gelcoat – colour: Signal White RAL 9003
- › 1st layer in vinylester resin to prevent osmosis
- › Polyester resin for infusion

Structure

- › Monolithic areas and plywood/ aluminium reinforcements under infusion

Bulkheads

- › Structural bulkheads infused with closed cells PVC foam core
- › Bulkheads directly laminated to hull and bridge deck

Additional parts

- › Crash boxes at false bows and transoms

Keels

- › Structural keels, integrated into the hulls

Deck

General

- › Deck infused with closed cells PVC foam core
- › Isophthalic gelcoat – colour: Signal White RAL 9003
- › 1st layer in vinylester resin
- › Polyester resin for infusion
- › Aft cockpit with L-shape bench on starboard side and straight benches on port side and on aft beam

Structure

- › Monolithic areas and plywood/ aluminium reinforcements under infusion
- › Deck laminated to hull and bulkheads laminated to deck

Deckhouse

- › Large coachroof with 5 ventilation hatches and with an extension including LED lights above cockpit
- › Raised helm station on port side with double seat, 1 locker and 1 bag for halyards

Additional parts

- › 1 locker on each forepeak, accessible through deck hatches with ventilation and ladder, lockable
- › 2 lockers on central pod accessible through deck hatches with ventilation and ladder, lockable
- › 1 locker for anchor storage
- › 1 locker in cockpit for storage of one propane gas bottle 13 kg
- › 6 cockpit lockers including one with second access to life raft
- › 2 cockpit lockers in the aft beam

Rigging

Standing rig

White lacquered aluminium mast 21.21 m high with:

- › 2 sets of spreaders with leather protection
- › Mainsail track with ball bearing sliders
- › Manual winch LEWMAR 50ST EVO at the foot on starboard side for genoa, staysail, gennaker/ spinnaker halyards and lazy jacks
- › 4 foldable steps to gooseneck, footrest at gooseneck, 2 foldable steps at masthead
- › LED tricolour navigation light at masthead, steaming light, anchor light, fixed deck light in front of the mast
- › 2 LED lights under first set of spreader
- › Mechanical wind vane at masthead

White lacquered aluminium canoe boom with:

- › Lazy bag
- › Sheaves for reefing lines
- › Mainsail outhaul on fixed points

Specification

White lacquered aluminium welded crossbeam with seagull striker

Stainless steel 1x19 wire including forestay, inner forestay, cap shrouds, lower shrouds and 4 diamonds

Sails and running rig

High performance running rigging, Dyneema core with:

- › 1 halyard for mainsail, genoa and staysail
- › 2 sheets for mainsail and 2 sheets for genoa
- › 1 genoa furling line
- › Reefing lines, lazy jacks and topping lift

High quality sails with:

- › Roach mainsail 88 m², 3 reefs, full batten, Dacron
- › Genoa on manual furler, 57 m², with UV leech guard, Dacron

Deck hardware

- › 1 electric LEWMAR 55EST EVO winch at helm station on port side for mainsail halyard, reefing lines, genoa, staysail and gennaker/spinnaker furling lines and topping lift
- › 1 electric LEWMAR 65FEST EVO winch at helm station on starboard side for genoa and staysail sheets
- › 1 electric LEWMAR 55EST EVO winch backward the helm station for mainsail sheets and traveller
- › Mainsheet traveller with double ball bearing car and control line
- › Manual furler for genoa
- › 2 tracks for genoa/ staysail including cars with pin stop
- › 3 winch handles with holders

Exterior equipment

Glazing

- › Stainless steel patio door to saloon with 3 leaves, 2 sliding
- › Large mineral glass windows on hull and deckhouse
- › Flush hatches on deck and deckhouse

Mooring – Anchoring

- › 8 stainless steel mooring cleats, 500 mm 4x, 360 mm 4x
- › 8 stainless steel anti-chafing protections
- › 2 stainless steel mooring cleats, 360 mm, on transom

- › 4 mooring lines
- › 8 fenders, 910 mm x 360 mm
- › 1 electric anchor windlass 2000W with drum, gypsy Ø 10 mm, deck switches and 1 wired remote control with chain counter at the chain locker
- › Bow anchor roller with 1 stainless steel mooring cleat 500 mm
- › Mooring bridle
- › Stainless steel plate to prevent anchor chain chafing
- › Main mooring line with galvanized Delta-Anchor 40 kg, swivel, 75 m galvanized chain grade 70 Ø 10 mm, 25 m rope

Deck fitting

Deck

- › 2 stainless steel pulpits with teak seats and LED navigation lights
- › 4 stainless steel pushpits, 2 outside, 2 inside transoms
- › Railing, 750 mm height, with side openings, including stanchions and 3 guard lines in stainless steel
- › 2 white nets in coated polyester mesh
- › 2 stainless steel handrails on deckhouse
- › 3 lifelines in stainless steel, 2 on the deck, 1 on the deck house

Aft cockpit

- › Fixed teak cockpit table 1400 mm x 1000 mm with stainless steel central foot
- › Stairs from cockpit to helm station
- › Stairs from cockpit to side deck

Helm station

- › Double seat – Spradling Silvertex, full range of colours
- › Windscreen in mineral glass with stainless steel frame

Transoms

- › Fixed stainless steel swimming ladder with deck shower on port transom

Upholstery

- › Upholstery for cockpit – Spradling Silvertex, full range of colours
- › 2 foldable director chairs in teak with cotton ecru seats

Specification

Interior

General

- › Furniture – Alpi Oak style, satin varnish
- › Floorboard – laminated wood Resopal Valley Oak 4166-WH
- › All worktops in synthetic resin – Hi-macs Solids collection full range of colours
- › Upholstery – Coated fabrics leather style Spradling Valencia, full range of colours
- › Lining ceiling and wall: Spradling Hitch Iceberg 8962
- › Saloon centered ceiling: Spradling Silvertext Ice 4004
- › Deckhouse surround windows: Graphite Grey Lacquer dito Egger U961 STPT
- › Lining bed frames, headboards and bedsides: Spradling Vogue Stone 001 or Eucalyptus 004
- › White solid surfaces: Egger Alpine White W1101 STPT
- › Dark solid surfaces: Egger Graphite Grey U961 STPT
- › Curtains type OCEANAIR in all the boat
- › Spring frames and mattresses for all the beds

Front cabins – According to layout

Master suite

- › 1 dressing area
- › 1 sideboard including 2 doors (with shelves) and 1 chest of drawers (with 2 drawers at the top and 2 doors at the bottom with 1 shelf)
- › 1 large and tall cabinet with 3 doors including 1/3 shelves 2/3 wardrobe
- › 1 lengthwise double bed 180 cm x 200 cm, 2 bedsides, 2 low cabinets with drawers
- › 1 separate shower with thermostatic tap and silk-screened door
- › 1 sideboard including 2 doors (with shelves) and 1 chest of drawers (with 2 drawers at the top and 2 doors at the bottom with 1 shelf)
- › 1 tall cabinet with wardrobe at the top and with 2 drawers and 1 door at the bottom
- › 1 separate electric toilet
- › 1 head cabinet with 2 doors and 2 countertop wash basins with mixing taps and mirrors
- › 1 large and tall cabinet with integrated mirror, numerous storage spaces and drawers
- › 1 large and tall cabinet with integrated mirror, numerous storage spaces and drawers

Master suite and port side guest cabin

- › 1 separate shower with thermostatic tap and silk-screened door
- › 1 sideboard including 2 doors (with shelves) and 1 chest of drawers (with 2 drawers at the top and 2 doors at the bottom with 1 shelf)
- › 1 separate head with electric toilet, countertop wash basin, mixing tap, mirror and accessories
- › 1 lengthwise single bed 105 cm x 200 cm
- › 1 large and tall cabinet with integrated mirror, numerous storage spaces and drawers
- › 1 lengthwise double bed 180 cm x 200 cm, 2 bedsides, 1 low cabinet with drawers
- › 1 separate shower with thermostatic tap and silk-screened door
- › 1 sideboard including 2 doors (with shelves) and 1 chest of drawers (with 2 drawers at the top and 2 doors at the bottom with 1 shelf)
- › 1 tall cabinet with wardrobe at the top and with 2 drawers and 1 door at the bottom
- › 1 separate electric toilet
- › 1 head cabinet with 2 doors and 2 countertop wash basins with mirrors
- › 1 large and tall cabinet with integrated mirror, numerous storage spaces and drawers

2 double cabins

- › 1 separate shower with thermostatic tap and silk-screened door
- › 1 sideboard including 2 doors (with shelves) and 1 chest of drawers (with 2 drawers at the top and 2 doors at the bottom with 1 shelf)
- › 1 separate head with electric toilet, countertop wash basin, mixing tap, mirror and accessories
- › 1 transverse double bed 160 x 200 cm, 2 bedsides, 1 low cabinet with 2 doors on footboard
- › 1 large and tall cabinet with integrated mirror, numerous storage spaces and drawers
- › 1 separate shower with thermostatic tap and silk-screened door
- › 1 sideboard including 2 doors (with shelves) and 1 chest of drawers (with 2 drawers at the top and 2 doors at the bottom with 1 shelf)
- › 1 separate head with electric toilet, countertop wash basin, mixing tap, mirror and accessories

Specification

- › 1 transverse double bed 160 x 200 cm, 2 bedsides, 1 low cabinet with seat and 2 doors on footboard
- › 1 large and tall cabinet with integrated mirror, numerous storage spaces and drawers

Port corridor

- › 1 sideboard with 4 doors
- › 1 tower in front of the stairs with 1 stainless steel freezer 130 l at the bottom and 1 cabinet at the top
- › 1 large and tall cabinet with integrated mirror, numerous storage spaces and drawer
- › 5 stairs with courtesy lights and escape hatch

Starboard corridor

- › 1 technical cabinet for washer/ dryer in option
- › 1 tall cabinet with 2 shelves at the top and 1 door at the bottom
- › 5 stairs with courtesy lights and escape hatch

Aft port side – guest cabin

- › 1 lengthwise double bed 160 cm x 200 cm
- › 1 full-width cabinet on inner side
- › 1 small cabinet with flap on outer side
- › 1 separate head with electric toilet, countertop wash basin, mixing tap, mirror and accessories
- › 1 separate shower with thermostatic tap and silk-screened door

Aft starboard side – guest cabin

- › 1 lengthwise double bed 160 cm x 200 cm
- › 1 full-width cabinet on inner side
- › 1 small cabinet with flap on outer side
- › 1 separate head with electric toilet, countertop wash basin, mixing tap, mirror and accessories
- › 1 separate shower with thermostatic tap and silk-screened door

Galley & saloon

Dining area

- › 1 L-shape bench
- › 1 fixed rectangular dining table
- › 1 cupboard behind the fixed leaf of the patio door
- › Curtain for patio door in fabrics

Galley area

- › 1 gas cooker with 3 burners
- › 1 gas oven

- › 1 stainless steel fridge 130 l without freezer
- › 1 large sink with mixing tap
- › 1 integrated waste bin
- › Worktop in synthetic resin – Hi-macs Solids collection, full range of colours
- › Numerous storage spaces and drawers

Navigation area

- › Chart table with footstool
- › Wall panel for receiving electronics, monitoring and entertainment
- › Adjustable LED light

System

Air

Air conditioning

- › A/C system predisposed for future chiller, power and sea water connection, fan coils power and chilled water/ glycol circuit insulation hoses

Electrics & electronics

General

- › 12Vdc network
- › 230Vac, 50Hz network
- › Supervision system management with controller for data capture and 1 touch screen 10" to check: AC/DC networks, gauges and pumps, lighting, service switches, alarms

Wiring & control boxes

- › Set of control boxes arranged throughout the boat including breakers and control relays
- › Shore power outlet 230Vac, 50Hz, 32A with shore cable

Batteries & chargers

- › 4 service gel batteries 200Ah, 12Vdc
- › 2 gel batteries 55Ah, 12Vdc for engines
- › 1 gel battery 55Ah, 12Vdc for generator
- › 1 chargeMaster 100A, 12Vdc
- › 1 inverter AC Master 3500W, 230Vac

Generator

- › Generator power to be defined according to energy needs and/ or navigation program

Specification

Lighting

- › LED daylight downlights arranged throughout the boat including cockpit, white and red in saloon and cockpit, with dimmers
- › LED daylight reading lights arranged throughout the cabins
- › 1 flexible reading light at chart table
- › 2 LED lights on each transom

Electric devices

- › 230Vac, 50Hz circuit with 2 outlets in each cabin, 4 in the master suite, 4 in the galley, 2 in the saloon and 2 at chart table and 2 in the engine rooms = 18
- › Twin USB charging: 1 in each cabin, 2 in the master suite, 1 in the saloon and 1 at chart table = 5

Navigation instruments

- › 2 Raymarine i70s at helm station with DST transducers for Depth/Speed/Temperature/Wind
- › GPS Receiver RS150
- › VHF antenna, 1 wired handset Ray 90 at chart table with passive speaker and 1 wireless handset Ray 90 at helm station with active speaker
- › Magnetic compass, northern hemisphere
- › Mechanical wind vane

Entertainment

- › Hertzian masthead antenna
- › AM/FM antenna
- › Prewiring TV and Hifi in saloon and cabins

Propulsion

General

- › 2 sound-proof and heat insulated engine compartments, with access from cockpit by hatches, ventilation fans, LED lights
- › 2 Yanmar engines, 57 hp, saildrive SD60, with electric throttles including maintenance kit
- › 2 3-blade folding propellers

Steering

- › Hydraulic steering system
- › Stainless steel steering wheel Ø 900 mm with leather cover
- › 2 stainless steel emergency tillers

Water & gas system

- › 2 stainless steel fresh water tanks, 2 x 300 l
- › 2 x 40 l hot water boiler 230Vac
- › Pressurised water system with stainless steel expansion tank
- › 2 manual bilge pumps with 3-way-valve
- › 4 electric bilge pumps with visual and audible alarms
- › Electric shower pumps
- › 2 polypropylene blackwater tanks, 2 x 106 l
- › Mixing taps for heads and showers
- › Electric toilets with fresh water flush
- › Warm/ cold water deck shower on port transom

Fuel

- › 2 aluminium fuel tanks 2x 400 l each

Deck & cabin concept

Main deck



Lower deck

